

关于产品质量指标提升的告知函

Notification Letter on the Improvement of Product Quality Indicators

Dear Valued Customer,

We have been committed to providing high-quality products and services to our customers. We are delighted to inform you that, in order to further enhance the quality of our products, we have implemented a series of measures to improve our product quality indicators. Our goal is to ensure that our products meet the highest standards of quality and reliability, and we are confident that these improvements will result in a more satisfying customer experience.

The following table outlines the specific product quality indicators that we have targeted for improvement, the products involved, and the timeline for the improvements:

Targeted Product Indicators

- Defect Rate:** This indicator measures the percentage of defective products. We aim to reduce the defect rate from 0.5% to 0.2% by the end of the year.

Targeted Products

- Model A:** This product will be improved from 0.5% to 0.2%.

for 960, 960A and 980A.

2. Break-in strength: The indicator will be improved from ≥ 0.40 N/tex to

≥ 0.45 N/tex for 312.

3. Linear density: The indicator variation will be improved from $\pm 5\%$ to $\pm 4\%$

for 312, 312A and 312B.

Chopped Strands Products

1. Combustible content: The indicator variation will be improved from

$\leq 1.0\%$ to $\leq 0.8\%$ for 312, 312A and 312B.

2. Density: The indicator variation will be improved from

± 0.001 to ± 0.0005 for 312, 312A and 312B.

3. Tensile strength at break:

2. Long weight range value: The indicator variation will be improved from

≥ 100 to ≥ 110 for 312, 312A and 312B.

3. Density: The indicator variation will be improved from ± 0.001 to

± 0.0005 .

4. Longitudinal and transverse tensile strengths: Will be improved for 312 specifications.

Woven Rappings

1. Area weight: The indicator variation will be improved from $\pm 0.5\%$ to $\pm 0.4\%$.

2. Moisture content: The indicator variation will be improved from $\pm 0.5\%$ to

3. Warp-wise breaking strength: Will be improved for 30 specifications.
4. 'Weft-wise'breaking strength: Will be improved for 28 specifications.

We plan to gradually implement the improvement of the above product quality indicators starting from January 2024, covering our company and its subsidiaries.

During 2024, in the meantime, we will upgrade our product inspection process on company website and will issue the testing reports for products manufactured at the factory. We will continue to strictly implement the quality management system development and the company's product quality management system with high-quality products and services.

Thank you very much for your understanding and support!

